UNITARY



Ducted Heating and Cooling Solutions

RESIDENTIAL AND COMMERCIAL

oners

F-SERIES Air Conditioners		
Best		
FOC18 • 18 SEFR2		
• 2,3,4,5 Tons		
EcoNet Enabled		
 Compressor Variable-Speed Scroll 		
Hi & Lo Pressure Switches		
 2023 DOE All Zones Compliant 		
• 10-Year Warranty (With Registration)		

- Better **FOC16**
- 16 SEER2
- · 2,3,4,5 Tons • Compressor Variable-Speed Twin Rotary
- · Hi & Lo Pressure Switches
- · 2023 DOE All Zones Compliant
- 10-Year Warranty (With Registration)

- 15.2 SEER2
- 2,3,4,5 Tons
- Compressor Variable-Speed Twin Rotary
- · Hi & Lo Pressure Switches
- 2023 DOE All Zones Compliant
- 10-Year Warranty (With Registration)

- 14.3 SEER2 / 11.2 11.7 EER2
- 1.5 5 Tons

FOC14

- Compressor: 1-Stage Scroll
- · Hi Pressure Switch
- · 2023 DOE SE & SW Compliant
- 10-Year Warranty (With Registration)
- 13.4 SEER2
- 1.5 5 Tons

FOP14

• 14.3 SEER2 • 1.5 - 5 Tons

· Demand Defrost

• Compressor 2-Stage Scroll

• Hi & Lo Pressure Switches

• 2023 DOE All Zones Compliant

• 10-Year Warranty (With Registration)

- Compressor 1-Stage Scroll
- Hi Pressure Switch
- 2023 DOE N Compliant
- 10-Year Warranty (With Registration)

3-Phase Models Remain In Existing M Platforms			
AIR CONDITIONING			
	208/230 3-Phase 460 3-Phase		
12	FO3613CSCNBA	-	
13 SEER	FO4813CSCNBA	-	
SEEK	F06013CSCNBA	-	
4.	FO3614CSCNBA	FO3614CSDNBA	
14 SEER	FO4814CSCNBA	FO4814CSDNBA	
SEEK	F06014CSCNBC	F06014CSDNBC	
1.0	F03616CSCNBA	-	
16 SEER	FO4816CSCNBA	-	
SEEK	FO3616CSCNBA	-	

F-Series Heat Pumps

FOP18 • 18 SEER2

- · 2,3,4,5 Tons
- · EcoNet Enabled
- Compressor Variable-Speed Scroll
- · Hi & Lo Pressure Switches
- Demand Defrost
- 2023 DOE All Zones Compliant
- 10-Year Warranty (With Registration)



• 16 SEER2

FOP16

- 2,3,4,5 Tons
- · EcoNet Enabled
- · Compressor Variable-Speed Twin Rotary
- · Hi & Lo Pressure Switches
- Demand Defrost
- 2023 DOE All Zones Compliant
- 10-Year Warranty (With Registration)

FOP15

- 15.2 SEER2
- 1.5 5 Tons
- Compressor 2-Stage Scroll
- · Hi & Lo Pressure Switches
- · Demand Defrost
- 2023 DOE All Zones Compliant
- 10-Year Warranty (With Registration)

3-Phase Models Remain In Existing M Platforms

Heat Pump		
	208/230 3-Phase	460 3-Phase
1/	FO3614RSCNAA	FO3614RSDNAA
14 SEER	FO4814RSCNAA	FO4814RSDNAA
JLLK	FO6014RSCNAB	FO6014RSDNAE
15	FO3615RSCNAA	-
15 SEER	FO4815RSCNAA	-
SEEK	F06015RSCNAA	-

W-Series Air Conditioners

WA15AZ-FGA

• 15.2 SEER2

- 2,3,4,5 Tons
- Compressor Variable-Speed Twin Rotary
- Hi & Lo Pressure Switches
- 2023 DOE All Zones Compliant
- 5-Year Warranty (With Registration)

Better

WA14AZ-FGA

- 14.3 SEER2 / 11.2 11.7 EER2
- 1.5 5 Tons
- Compressor: 1-Stage Scroll
- Hi Pressure Switch
- 2023 DOE SE & SW Compliant
- 5-Year Warranty (With Registration)



WA13AZ-FGA

- 13.4 SEER2
- 1.5 5 Tons
- Compressor 1-Stage Scroll
- · Hi Pressure Switch
- 2023 DOE N Compliant
- 5-Year Warranty (With Registration)

W-SERIES Heat Pump

Good

WP14AZ-FGA

- 14.3 SEER2
- 1.5 5 Tons
- · Compressor 2-Stage Scroll
- Hi & Lo Pressure Switches
- · Demand Defrost
- · 2023 DOE All Zones Compliant
- 5-Year Warranty (With Registration)

Quality Meets Comfort

Fujitsu General has a long history of providing innovative products to improve home comfort. We've taken feedback from homeowners and industry professionals...added our high level of expertise, reliability, and support that we are known for worldwide...the result is a new unitary line of equipment that provides the ultimate in comfort, flexibility and efficiency. All Fujitsu unitary products meet or exceed current energy efficiency regulations, as published by the Department of Energy.

F-SERIES Gas Furnaces (80% AFUE)

Best / Better 8 FF80TV • 80% AFUE

- Upflow/Horizontal or Downflow Only
- 50,75,100,125 MBH
- · Variable-Speed Blower
- 2-Stage Gas Valve
- · Direct Spark Ignition
- Aluminized Steel Heat Exchanger
- · Base Panel & Cabinet Insulation Included
- **EcoNet Enabled**
- Std. LoNOx Models Available
- 10-Year Warranty (With Registration)

Good CoNet' FF80SV

80% ΔΕΠΕ

- · Upflow/Horizontal or Downflow Only
- 50,75,100,125 MBH
- · Variable-Speed Blower
- · 1-Stage Gas Valve
- · Direct Spark Ignition
- Aluminized Steel Heat Exchanger
- · Base Panel & Cabinet Insulation Included EcoNet Enabled
- Ultra-LoNOx & Std. LoNOx Models Available

Better

• 10-Year Warranty (With Registration)

Builder

FF80ST • 80% AFUE

- · Upflow/Horizontal or Downflow Only
- 50,75,100,125 MBH
- · Constant Torque Blower
- · 1-Stage Gas Valve
- · Direct Spark Ignition
- Aluminized Steel Heat Exchanger
- · Base Panel & Cabinet Insulation NOT Included
- Std. LoNOx Models Available
- 10-Year Warranty (With Registration)

Good

0

Indoor Coils



- FCC(A,N) • 1.5 - 5 Tons
- · AC or HP Compatible
- TXV or EEV Models
- Multi-Position
- Aluminum "N" Coil
- Thermal Set Drain Pan
- 10 Year Conditional Parts Warranty* (With Registration)
- * For complete details of the limited warranties, including applicable terms and conditions, contact your local contractor or go to www. fujitsugeneral.com for a copy of the product warranty certificate.

Builder

F-SERIES Gas Furnaces (92-98% AFUE)



FF97MV. FF98MV

- 97% or 98% AFUE
- · Downflow/Horizontal Only (97%)
- · Upflow Only (98%)
- 40,60,70,85,100,115 MBH
- · Variable-Speed Blower
- Modulating Gas Valve
- Direct Spark Ignition
- · Aluminized Steel Heat Exchanger
- Base Panel & Cabinet Insulation Included
- EcoNet Enabled
- Std. LoNOx Compliant
- 10-Year Warranty (With Registration)

NOTE: USES LEGACY CONTROL BOARD THAT IS NOT BLUETOOTH ENABLED



FF96TV

- 96% AFUE
- · Multi-Position
- 40,60,70,85,100,115 MBH
- · Variable-Speed Blower
- 2-Stage Gas Valve
- Direct Spark Ignition Aluminized Steel Heat Exchanger
- · Base Panel & Cabinet Insulation Included
- EcoNet Enabled
- Std. LoNOx Compliant
- 10-Year Warranty (With Registration)

FF92SV



- · Multi-Position
- 40,60,70,85,100,115 MBH
- · Variable-Speed Blower
- · 1-Stage Gas Valve
- Direct Spark Ignition
- · Aluminized Steel Heat Exchanger
- Base Panel & Cabinet Insulation Included
- · EcoNet Enabled
- Std. LoNOx Compliant
- 10-Year Warranty (With Registration)

FF95SV

- 95% AFUE
- · Multi-Position
- 40,60,70,85,100,115 MBH
- · Variable-Speed Blower
- 1-Stage Gas Valve
- · Direct Spark Ignition
- Aluminized Steel Heat Exchanger
- · Base Panel & Cabinet Insulation Included
- · EcoNet Enabled
- Std. LoNOx Compliant
- · 10-Year Warranty (With Registration)



- 92% AFUE
- · Multi-Position
- 40,60,70,85,100,115 MBH
- Constant Torque Blower
- · 1-Stage Gas Valve
- Direct Spark Ignition
- Aluminized Steel Heat Exchanger
- Base Panel & Cabinet Insulation NOT Included
- Std. LoNOx Compliant
- 10-Year Warranty (With Registration)

FF95ST

- 95% AFUE
- · Multi-Position
- 40,60,70,85,100,115 MBH
- · Constant Torque Blower
- 1-Stage Gas Valve
- Direct Spark Ignition
- Aluminized Steel Heat Exchanger Base Panel & Cabinet Insulation NOT
- Included Std. LoNOx Compliant
- 10-Year Warranty (With Registration)



F-SERIES Air Handlers

FHRNVT

- 2,3,4,5 Tons
- · Variable-Speed Blower
- 2-Stage Capacity
- · EcoNet Enabled
- TXV
- Multi-Position
- 42 52" Tall
- 10-Year Warranty (With Registration)

FHRNVV

- 2,3,4,5 Tons
- · Variable-Speed Blower
- · 3-Stage Capacity
- · EcoNet Enabled
- TXV
- · Multi-Position
- 42 52" Tall
- 10-Year Warranty (With Registration)

FHRNVM

- 2,3,5 Tons
- · Variable Speed ECM Blower
- Modulating Capacity
- · EcoNet Enabled
- EEV
- Multi-Position
- 42 52" Tall
- 10-Year Warranty (With Registration)

Better 8





C EcoNet

- 1.5 5 Tons
- · Constant Torque Blower · EcoNet Enabled
- Multi-Position
- 42 52" Tall

FHRNTT*

• 10-Year Warranty (With Registration)

PSC

Motor

CT Motor

* 115 Volt Models Available

FHRNPS*

1.5 - 5 Tons **PSC Blower**

EcoNet Enabled

3-Phase Models Remain In Existing M Platforms

Air Handler

208/230 3-Phase

Multi-Position

42 - 52" Tall

10-Year Warranty (With Registration)

Good

* 115 Volt Models Available

460 3-Phase

FH3617TPSDSN

FH4221TPSDSN

FH4821TPSDSN

FH4824TPSDSN

FH3617TTSDSN

FH3621TTSDMN

FH4824TTSDSN

FH6021TTSDSN

FH6024TTSDSN

CoNet° **FHSMTT** • 1.5,2,2.5 Tons

- · Constant Torque Blower
- TXV
- · Multi-Position
- 35" Tall ("Shorty")
- 10-Year Warranty (With Registration)

Specialty

- · 1.5,2,2.5, 3 Tons
- PSC Blower
- TXV
- · Front or Bottom Return
- 10-Year Warranty (With Registration)

FHFSTT

- · 1.5,2,2.5, 3 Tons
- · Constant Torque Blower
- . Front or Bottom Return
- 10-Year Warranty (With Registration)

Residential and Beyond

Our packaged heating and cooling products are available in a variety of efficiencies to ensure you save energy while meeting your budget needs. Performance is ensured by reliable and quiet scroll compressors which feature less moving parts, microchannel aluminum coil technology which allows for better heat transfer with less refrigerant charge, and robust fan motors that discharge air up and away from your home.

Residential Packaged Unit

Air Conditioning



RACBZR SERIES

- Dedicated Horizontal Airflow
- 14.3 SEER2
- 2 5 Tons
- Single and Three Phase
- · Louvered Coil Protection
- · Electric Heat Options
- 10-Year Warranty (Single Phase)
- 5-Year Warranty (Three Phase)

RACAZR / RAC(A/X)ZS SERIES

- · Convertible Airflow
- 14.3 & 15.2 SEER2
- 2 5 Tons
- · Single and Three Phase
- · Louvered Coil Protection
- **Electric Heat Options**
- 10-Year Warranty (Single Phase)
- · 5-Year Warranty (Three Phase)

Gas/Electric



RGEAZR / RGE(A/X)ZS SERIES

- Convertible Airflow
- 14.3 &15.2 SEER2
- 2 5 Tons
- · 40,60,80,100 MBH Gas Heat
- · Single and Three Phase
- · Louvered Coil Protection · Propane Convertible
- LoNOx & ULN
- 10-Year Warranty (Single Phase)
- 5-Year Warranty (Three Phase)

Heat Pump





RHPBZR & RHPBZS SERIES

- · Dedicated Horizontal Airflow
- 14.3 & 15.2 SEER2
- 2 5 Tons
- · Single and Three Phase
- · Louvered Coil Protection
- · Electric Heat Options
- 10-Year Warranty (Single Phase)
- 5-Year Warranty (Three Phase)

RHP(A/X)ZR / RHP(A/X)ZS SERIES

- · Convertible Airflow
- 14.3 SEER2
- 2 5 Tons
- · Louvered Coil Protection
- · Electric Heat Options
- 10-Year Warranty (Single Phase) · 5-Year Warranty (Three Phase)

Dual Fuel



RDF(A/X)ZS SERIES

- · Convertible Airflow
- 15.2 SEER2
- 2 5 Tons · 40,60,80,100 MBH Gas Heat
- · Single and Three Phase
- · Louvered Coil Protection
- · Propane Convertible
- LoNOx & ULN
- 10-Year Warranty (Single Phase)
- 5-Year Warranty (Three Phase)

Package 3-6 Ton

CAPACITY	MODEL FAMILY	FOOTPRINT
3 - 5 TON	RACCZR (CONV. A/C)	
14.0 SEER 11.2 EER	RGECZR (CONV. G/E)	
8.0 HSPF	RHPCZR (CONV. H/P)	
6 TON	RACCZT (CONV. A/C)	35 \$
14.0 SEER 11.2 EER 8.0 HSPF	RGECZT (CONV. G/E)	7 5
	RHPCZT (CONV. H/P)	
	I.	

- RACCZR, RGECZR, RHPC updated to Schedule M1 standards (GEN. C)
- All legacy RLPN, RLQN, RKPN, RKQN, RJPL series obsoleted
- Commercial single-phase air conditioners and heat pumps <65k BTU/HR (5 tons and below) follow the residential M1 standards and are compliant with all SEER2, EER, and HSPF2 requirements.

Package 7.5 -12.5 Ton

CAPACITY	MODEL FAMILY	FOOTPRINT
7.5 - 12.5 TON	RACDZT (CONV. A/C)	3
14.6 IEER 11.0 EER	RGEDZT (CONV. G/E)	7 2
3.4 COP	RHPDZT (CONV. H/P)	

- RACD, RGED, RHPD ZR and ZS Series obsoleted
- ZT Series versions becomes standard offering

Package 15-30 Ton

	,	
CAPACITY	MODEL FAMILY	FOOTPRINT
15 - 25 TON 14.2 IEER	RACG (CONV. A/C)	
11.0 EER 3.3 COP	RGEG (CONV. G/E)	
15 - 25 TON	RLNL-H / RLRL-H (CONV. A/C)	
14.2 IEER 11.0 EER	RKNL-H / RKRL-H (CONV. G/E)	and B
3.3 COP	RHPH (CONV. H/P)	
30 TON 14.2 IEER 11.0 EER 3.3 COP	RACH (CONV. A/C)	1
	RGEH (CONV. G/E)	

- New 15 25-Ton Industry Standard Curb platforms
- RLNL-B/C and RKNL-B/C series platforms obsoleted
- New 15 25-Ton H/P series
- New 30-Ton VAV A/C and G/E platforms

Split A/C 6.5 - 20 Ton

CAPACITY	MODEL FAMILY	FOOTPRINT
6.5 - 20 TON	RACL (OUTDOOR UNIT)	
14.8 IEER 11.2 EER	RHCLA (INDOOR UNIT)	

- ODU'S and IDU's updated to Schedule M1 standards (GEN. B)
- RAWL series outdoor units obsoleted
- RHGL / RHGN series indoor units obsoleted

Split H/P 7.5 - 10 Ton

CAPACITY	MODEL FAMILY	FOOTPRINT
7.5 - 10 TON 14.8 IEER	RPCL (OUTDOOR UNIT)	
11.2 EER 3.4 COP	RHCLP (INDOOR UNIT)	8

- ODU'S and IDU's updated to Schedule M1 standards (GEN. B)
- RPWL series outdoor units obsoleted
- RHGM series indoor units obsoleted

Distributed by:











